



UNITED STATES PATENT AND TRADEMARK OFFICE

3723/ ~~FILE~~

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO.
10/717,842	11/20/2003	Mitch O. Miller	0018617.00031

CONFIRMATION NO. 8560

21878
KENNEDY COVINGTON LOBDELL & HICKMAN, LLP
214 N. TRYON STREET
HEARST TOWER, 47TH FLOOR
CHARLOTTE, NC 28202



OC000000012651300

Date Mailed: 05/13/2004

NOTICE REGARDING NONPUBLICATION REQUEST

The receipt of a nonpublication request filed under 35 U.S.C. 122(b)(2)(B)(i) with the above-identified application is acknowledged. The application will not be scheduled for publication.

Applicant may rescind the nonpublication request at any time. If applicant subsequently rescinds the nonpublication request, the above-identified application will be scheduled for publication at the later of eighteen (18) months from the earliest filing date claimed or fourteen (14) weeks from the date that the Office recognizes the rescission.

If applicant subsequently files an application directed to the invention disclosed in the above-identified application in another country, or under a multilateral international agreement, that requires publication of applications eighteen months after filing, the applicant **must** notify the Office of such filing within forty-five (45) days after the date of the filing of such foreign or international application. **Failure to do so will result in abandonment of this application (35 U.S.C. 122(b)(2)(B)(iii)).**

Questions regarding this notice may be directed to the Office of Initial Patent Examination at (703)308-1202.

RECEIVED
JUN 16 2004
TECHNOLOGY CENTER R3700

RECEIVED
JUN - 8 2004
DIPE/JCWS

Bldg./Room

UNITED STATES PATENT AND TRADEMARK OFFICE

P.O. Box 1450

Alexandria, VA. 22313-1450

If Undeliverable Return In Ten Days

Official Business

Penalty For Private Use, \$300

AN EQUAL OPPORTUNITY EMPLOYER

01/0



1. <i>Chlorophyll a</i>	0.0000
2. <i>Chlorophyll b</i>	0.0000
3. <i>Chlorophyll c</i>	0.0000
4. <i>Chlorophyll d</i>	0.0000
5. <i>Chlorophyll e</i>	0.0000
6. <i>Chlorophyll f</i>	0.0000
7. <i>Chlorophyll g</i>	0.0000
8. <i>Chlorophyll h</i>	0.0000
9. <i>Chlorophyll i</i>	0.0000
10. <i>Chlorophyll j</i>	0.0000
11. <i>Chlorophyll k</i>	0.0000
12. <i>Chlorophyll l</i>	0.0000
13. <i>Chlorophyll m</i>	0.0000
14. <i>Chlorophyll n</i>	0.0000
15. <i>Chlorophyll o</i>	0.0000
16. <i>Chlorophyll p</i>	0.0000
17. <i>Chlorophyll q</i>	0.0000
18. <i>Chlorophyll r</i>	0.0000
19. <i>Chlorophyll s</i>	0.0000
20. <i>Chlorophyll t</i>	0.0000
21. <i>Chlorophyll u</i>	0.0000
22. <i>Chlorophyll v</i>	0.0000
23. <i>Chlorophyll w</i>	0.0000
24. <i>Chlorophyll x</i>	0.0000
25. <i>Chlorophyll y</i>	0.0000
26. <i>Chlorophyll z</i>	0.0000
27. <i>Chlorophyll aa</i>	0.0000
28. <i>Chlorophyll ab</i>	0.0000
29. <i>Chlorophyll ac</i>	0.0000
30. <i>Chlorophyll ad</i>	0.0000
31. <i>Chlorophyll ae</i>	0.0000
32. <i>Chlorophyll af</i>	0.0000
33. <i>Chlorophyll ag</i>	0.0000
34. <i>Chlorophyll ah</i>	0.0000
35. <i>Chlorophyll ai</i>	0.0000
36. <i>Chlorophyll aj</i>	0.0000
37. <i>Chlorophyll ak</i>	0.0000
38. <i>Chlorophyll al</i>	0.0000
39. <i>Chlorophyll am</i>	0.0000
40. <i>Chlorophyll an</i>	0.0000
41. <i>Chlorophyll ao</i>	0.0000
42. <i>Chlorophyll ap</i>	0.0000
43. <i>Chlorophyll aq</i>	0.0000
44. <i>Chlorophyll ar</i>	0.0000
45. <i>Chlorophyll as</i>	0.0000
46. <i>Chlorophyll at</i>	0.0000
47. <i>Chlorophyll au</i>	0.0000
48. <i>Chlorophyll av</i>	0.0000
49. <i>Chlorophyll aw</i>	0.0000
50. <i>Chlorophyll ax</i>	0.0000
51. <i>Chlorophyll ay</i>	0.0000
52. <i>Chlorophyll az</i>	0.0000
53. <i>Chlorophyll ba</i>	0.0000
54. <i>Chlorophyll bb</i>	0.0000
55. <i>Chlorophyll bc</i>	0.0000
56. <i>Chlorophyll bd</i>	0.0000
57. <i>Chlorophyll be</i>	0.0000
58. <i>Chlorophyll bf</i>	0.0000
59. <i>Chlorophyll bg</i>	0.0000
60. <i>Chlorophyll bh</i>	0.0000
61. <i>Chlorophyll bi</i>	0.0000
62. <i>Chlorophyll bj</i>	0.0000
63. <i>Chlorophyll bk</i>	0.0000
64. <i>Chlorophyll bl</i>	0.0000
65. <i>Chlorophyll bm</i>	0.0000
66. <i>Chlorophyll bn</i>	0.0000
67. <i>Chlorophyll bo</i>	0.0000
68. <i>Chlorophyll bp</i>	0.0000
69. <i>Chlorophyll bq</i>	0.0000
70. <i>Chlorophyll br</i>	0.0000
71. <i>Chlorophyll bs</i>	0.0000
72. <i>Chlorophyll bt</i>	0.0000
73. <i>Chlorophyll bu</i>	0.0000
74. <i>Chlorophyll bv</i>	0.0000
75. <i>Chlorophyll bw</i>	0.0000
76. <i>Chlorophyll bx</i>	0.0000
77. <i>Chlorophyll by</i>	0.0000
78. <i>Chlorophyll bz</i>	0.0000
79. <i>Chlorophyll ca</i>	0.0000
80. <i>Chlorophyll cb</i>	0.0000
81. <i>Chlorophyll cc</i>	0.0000
82. <i>Chlorophyll cd</i>	0.0000
83. <i>Chlorophyll ce</i>	0.0000
84. <i>Chlorophyll cf</i>	0.0000
85. <i>Chlorophyll cg</i>	0.0000
86. <i>Chlorophyll ch</i>	0.0000
87. <i>Chlorophyll ci</i>	0.0000
88. <i>Chlorophyll cj</i>	0.0000
89. <i>Chlorophyll ck</i>	0.0000
90. <i>Chlorophyll cl</i>	0.0000
91. <i>Chlorophyll cm</i>	0.0000
92. <i>Chlorophyll cn</i>	0.0000
93. <i>Chlorophyll co</i>	0.0000
94. <i>Chlorophyll cp</i>	0.0000
95. <i>Chlorophyll cq</i>	0.0000
96. <i>Chlorophyll cr</i>	0.0000
97. <i>Chlorophyll cs</i>	0.0000
98. <i>Chlorophyll ct</i>	0.0000
99. <i>Chlorophyll cu</i>	0.0000
100. <i>Chlorophyll cv</i>	0.0000
101. <i>Chlorophyll cw</i>	0.0000
102. <i>Chlorophyll cx</i>	0.0000
103. <i>Chlorophyll cy</i>	0.0000
104. <i>Chlorophyll cz</i>	0.0000
105. <i>Chlorophyll da</i>	0.0000
106. <i>Chlorophyll db</i>	0.0000
107. <i>Chlorophyll dc</i>	0.0000
108. <i>Chlorophyll dd</i>	